

ANALYSELIJST PESTICIDEN

Groen Agro Control

Analyselijst Cacao, SPV A088, A104 & A178, GC-MSMS

Versie 2, geldig vanaf 01-02-2022

Lijst van componenten en hun rapportagegrens in mg/kg

1,4-dimethylnaftaleen	0.01	Chlooraniline (3-)	0.01	Diafenthiuron	0.01
2,4,6-Trichloorfenol	0.01	Chloorbenzide	0.01	Dialifos	0.01
2,4-D-Methylester	0.01	Chloorbenzilaat	0.01	Diallaat	0.01
2,6-Dichloorbenzamide	0.01	Chloorbromuron	0.01	Diazinon	0.01
2-Fenylhydrochinon	0.01	Chloorbufam	0.01	Dichlobenil	0.01
Acetochloor	0.01	Chloordaan	0.01	Dichlofenthion	0.01
Acibenzolar-S-methyl	0.01	Chloordecon	0.01	Dichlofluamide	0.01
Aclonifen	0.01	Chloorfenapyr	0.01	Dichlooraniline (3,4-)	0.01
Acrinathrin	0.01	Chloorfenson	0.01	Dichlooraniline (3,5-)	0.01
Alachloor	0.01	Chloorfenvinfos ($\alpha+\beta$)	0.01	Dichloorprop-2-ethyl-hexyl	0.01
Aldrin	0.01	Chloorfluazuron	0.01	Dichloorprop-methyl	0.01
Allethrin	0.01	Chloormefos	0.01	Dichloorvos	0.01
Ametoctradin	0.01	Chlooroxuron	0.01	Dichlorofen	0.01
Ametryn	0.01	Chloorprofam	0.01	Diclobutrazool	0.01
Aminocarb	0.01	Chloorpropylaate	0.01	Diclofop-methyl	0.01
Amiprofos-Methyl	0.01	Chloorpyrifos-ethyl	0.01	Dicloran	0.01
Atrazine	0.01	Chloorpyrifos-methyl	0.01	Dicofol	0.01
Azaconazool	0.01	Chloorthal-dimethyl	0.01	Dicrotofos	0.01
Azinfos-ethyl	0.01	Chloorthalonil	0.01	Dieldrin	0.01
Azinfos-methyl	0.02	Chloorthiofos	0.01	Diethofencarb	0.01
Aziprotryn	0.01	Chloorthiofos-sulfon	0.01	Difenamid	0.01
Azoxystrobine	0.01	Chloorthion	0.01	Difenoconazool	0.01
Barban	0.01	Chlorobenzuron	0.01	Difenoxuron	0.01
Benalaxyl	0.01	Chloroneb	0.01	Difenylamine	0.01
Benazolin-ethyl	0.01	Chlozolinaat	0.01	Diflubenzuron	0.01
Bendiocarb	0.01	Cinidon-ethyl	0.01	Diflufenican	0.01
Benfluralin	0.01	Cinmethylin	0.01	Dimethachloor	0.01
Benfuracarb (als carbofuran)	0.01	Climbazool	0.01	Dimethenamid-p	0.01
Benodanil	0.01	Clodinafop-propargyl	0.01	Dimethipin	0.01
Benzovindiflupyr	0.01	Clofentezine	0.03	Dimethirimol	0.01
Benzoylprop-ethyl	0.01	Cloquintocet-mexyl	0.01	Dimethoaat	0.01
Bifenazaat	0.01	Coumafos	0.01	Dimethomorf	0.01
Bifenox	0.01	Crimidine	0.01	Dimethylvinfos	0.01
Bifenthrin	0.01	Crufomaat	0.01	Dimoxystrobin	0.01
Bifenyl (=difenyl)	0.04	Cyanazin	0.01	Diniconazool	0.01
Bistrifluron	0.01	Cyanofenos	0.01	Dinobuton	0.1
Bitertanol	0.01	Cyanofos	0.01	Dinoseb	0.01
Boscalid	0.01	Cycloaat	0.01	Dinoterb	0.01
Bromacil	0.01	Cyenopyrafen	0.01	Dioxabenzofos	0.01
Bromocyclen	0.01	Cyfenothrin	0.01	Dioxacarb	0.01
Bromofos-ethyl	0.01	Cyfluthrin	0.01	Dioxathion	0.01
Bromofos-methyl	0.01	Cyhalofop-butyl	0.01	Dipropetryn	0.01
Bromoxynil-methyl	0.01	Cymiazool	0.01	Disulfoton	0.01
Bromoxynil-octanoaat	0.01	Cypermethrin	0.01	Disulfoton-sulfon	0.01
Bromuconazool	0.01	Cyproconazool	0.01	Ditalimfos	0.01
Broompropylaate	0.01	Cyprodinil	0.01	DMSA	0.01
Bupirimaat	0.01	Cyprofuram	0.01	DMST	0.01
Buprofezin	0.01	Dazomet	0.01	DNOC	0.01
Butachloor	0.01	DDD (o,p)	0.01	Dodemorf	0.01
Butralin	0.01	DDD (p,p)	0.01	Edifenfos	0.01
Butylaate	0.01	DDE (o,p)	0.01	Endosulfan-alfa	0.01
Cadusafos	0.01	DDE (p,p)	0.01	Endosulfan-beta	0.01
Captafol	0.01	DDT (o,p)	0.01	Endosulfan-sulfaat	0.01
Captan	0.01	DDT (p,p)	0.01	Endrin	0.01
Carbaryl	0.01	DEET	0.01	EPN	0.01
Carbofenothion	0.01	Deltamethrin	0.01	Epoxiconazool	0.01
Carbofuran	0.01	Demeton-O	0.01	EPTC	0.01
Carbofuran-3-OH	0.01	Demeton-O-sulfoxide	0.01	Etaconazool	0.01
Carbofuran-fenol	0.01	Demeton-S	0.01	Ethalfuralin	0.01
Carboxin	0.01	Demeton-S-methyl	0.01	Ethiofencarb	0.01
Chinomethionaate	0.01	Demeton-S-methylsulfon	0.01	Ethion	0.01
Chloor-3-Methylfenol	0.01	Desmetryn	0.01	Ethofumesaat	0.01

ANALYSELIJST PESTICIDEN

Groen Agro Control

Analyselijst Cacao, SPV A088, A104 & A178, GC-MSMS

Versie 2, geldig vanaf 01-02-2022

Lijst van componenten en hun rapportagegrens in mg/kg

Ethofumesaat, 2-keto	0.01	Flutolanil	0.01	Mepanipyrim	0.01
Ethoprofos	0.01	Flutriafol	0.01	Mepronil	0.01
Ethoxyquin	0.01	Fluvalinaat (tau-)	0.01	Metalaxyl/metalaxyl-M	0.01
Etofenprox	0.01	Folpet	0.01	Metamitron	0.01
Etoxazool	0.01	Fonofos	0.01	Metazachloor	0.01
Etridiazool	0.01	Foraat	0.01	Metconazool	0.01
Etrimfos	0.01	Foraat-sulfon	0.01	Methabenzthiazuron	0.01
Famofos (Famfur)	0.01	Foraat-sulfoxide	0.01	Methacrifos	0.01
Famoxadone	0.01	Fosalon	0.01	Methidathion	0.01
Fenamifos	0.01	Fosfamidon	0.01	Methiocarb	0.01
Fenarimol	0.01	Fosmet	0.01	Methopreen	0.01
Fenazaquin	0.01	Fosthiazaat	0.01	Methoprotryne	0.01
Fenbuconazool	0.01	Fthalimide (degr. folpet)	0.01	Methoxychloor	0.01
Fenchloorfos	0.01	Fuberidazool	0.01	Metobromuron	0.01
Fenhexamide	0.01	Furalaxyl	0.01	Metolachloor-S	0.01
Fenithrothion	0.01	Furathiocarb	0.01	Metolcarb	0.01
Fenmedifam	0.01	Furmecyclox	0.01	Metoxuron	0.01
Fenobucarb	0.01	Halfenprox	0.01	Metrafenon	0.01
Fenothrin	0.01	Haloxypop-ethoxyethyl	0.01	Metribuzin	0.01
Fenoxaprop-p	0.01	Haloxypop-p-methyl	0.01	Mevinfos	0.01
Fenoxycarb	0.01	HCH-alfa	0.01	Mirex	0.01
Fenpiclonil	0.01	HCH-beta	0.01	Monalide	0.01
Fenpropathrin	0.01	HCH-delta	0.01	Monocrotofos	0.01
Fenpropidin	0.01	HCH-gamma (Lindaan)	0.01	Monolinuron	0.01
Fenpropimorf	0.01	Heptachloor	0.01	Myclobutanil	0.01
Fenson	0.01	Heptachloorepoxyde	0.01	Naftol-1- α	0.01
Fensulfothion	0.01	Heptenofos	0.01	Naled	0.01
Fensulfothion-sulfon	0.01	Hexachloor-1,3-butadien	0.01	Napropamide	0.01
Fenthion	0.01	Hexachloorbenzeen	0.01	Nitralin	0.01
Fenthion-sulfoxide	0.01	Hexaconazool	0.01	Nitrapyrine	0.01
Fenthoaat	0.01	Hexaflumuron	0.01	Nitrofen	0.01
Fenuron	0.01	Hexazinon	0.01	Nitrothal-isopropyl	0.01
Fenvaleraat (incl. esfenvaleraat)	0.01	Hexythiazox	0.01	Norflurazon	0.01
Fenylfenol-2	0.01	Imazalil	0.1	Nuarimol	0.01
Fipronil	0.02	Imazamethabenz-methyl	0.01	Ofurace	0.01
Fipronil-carboxamide*	0.01	Indoxacarb (R+S)	0.01	Orbencarb	0.01
Fipronil-desulfinyl*	0.01	Ioxynil methyl	0.01	Oxadiargyl	0.02
Fipronil-sulfide*	0.01	Ioxynil octanoaat	0.01	Oxadiazon	0.01
Fipronil-sulfone	0.01	Iprobenfos	0.01	Oxadixyl	0.01
Flamprop-M-isopropyl	0.01	Iprodion	0.01	Oxycarboxin	0.01
Flamprop-M-methyl	0.01	Iprovalicarb	0.01	Oxychlooraan	0.01
Flonicamid	0.01	Isazofos	0.01	Oxyfluorfen	0.01
Fluazifop-p-butyl	0.01	Isodrin	0.01	Paclobutrazol	0.01
Fluazinam	0.02	Isofenfos	0.01	Paraoxon	0.01
Flubendiamide	0.01	Isofenfos-methyl	0.01	Paraoxon-methyl	0.01
Fluchloralin	0.01	Isofenfos-oxon	0.01	Parathion-ethyl	0.01
Flucycloxuron	0.01	Isoprocarb	0.01	Parathion-methyl	0.01
Flucythrinaat	0.01	Isoprothiolane	0.01	Pebulaat	0.01
Fludioxonil	0.01	Isoproturon	0.01	Penconazool	0.01
Flufenacet	0.01	Isoxadifen-ethyl	0.01	Pencyuron	0.01
Flufenoxuron	0.02	Joodfenfos	0.01	Pendimethalin	0.01
Flufenzin	0.02	Karanjin*	0.01	Pentachlooraniline	0.02
Flumethrin	0.01	Kresoxim-methyl	0.01	Pentachlooranisole	0.01
Flumioxazin	0.01	Lambda-cyhalothrin	0.01	Pentachloorbenzeen	0.01
Fluometuron	0.01	Lenacil	0.01	Pentachloorfenol	0.01
Fluopicolide	0.01	Leptofos	0.01	Penthiopyrad	0.01
Fluotrimazool	0.01	Lufenuron	0.01	Permethrin	0.01
Fluquinconazool	0.01	Malaoxon	0.01	Perthaan	0.01
Flurenol-butyl	0.01	Malathion	0.01	Picolinafen	0.01
Flurochloridon	0.01	Mecarbam	0.01	Picoxystrobin	0.01
Fluroxypyr-1-methyl	0.01	Mefenpyr-diethyl	0.01	Piperonyl-butoxide	0.01
Flusilazool	0.01	Mefosfolan	0.01	Pirimicarb	0.01

* Deze component wordt alleen op verzoek gerapporteerd

ANALYSELIJST PESTICIDEN

Groen Agro Control

Analyselijst Cacao, SPV A088, A104 & A178, GC-MSMS

Versie 2, geldig vanaf 01-02-2022

Lijst van componenten en hun rapportagegrens in mg/kg

Pirimicarb-desmethyl*	0.01	Pyrifenox	0.01	Tetraconazool	0.01
Pirimifos-ethyl	0.01	Pyrimethanil	0.01	Tetradifon	0.01
Pirimifos-methyl	0.01	Pyriproxyfen	0.01	Tetrahydrophthalimide (degr. captan)	0.01
Prochloraz	0.1	Pyroquilon	0.01	Tetramethrin	0.02
Procymidon	0.01	Quinalfos	0.01	Tetrasul	0.01
Profam	0.01	Quinoxifen	0.01	Thiabendazool	0.1
Profenofos	0.01	Quintozeen	0.01	Thiobencarb	0.01
Profluralin	0.01	Quizalofop-ethyl	0.01	Thiocyclam	0.01
Profoxydim-lithium	0.01	Resmethrin	0.01	Thiometon	0.01
Promecarb	0.01	S 421	0.01	Thiometon-sulfon	0.01
Prometryn	0.01	Sethoxydim	0.01	Tolclofos-methyl	0.01
Propachloor	0.01	Silafluofen	0.01	Tolfenpyrad	0.01
Propachloor, 2-OH	0.01	Silthiofam	0.01	Tolyfluanide	0.01
Propafos	0.01	Simazin	0.02	Transfluthrin	0.01
Propanil	0.01	Spirodiclofen	0.01	Triadimefon	0.01
Propargiet	0.01	Spiromesifen	0.01	Triadimenol	0.01
Propazine	0.01	Spiroxamine	0.01	Triallaat	0.01
Propetamfos	0.01	Sulfotep	0.01	Triamifos	0.01
Propiconazool	0.01	Sulprofos	0.01	Triazamaat	0.01
Propoxur	0.01	Tebuconazool	0.01	Triazofos	0.01
Propyzamide	0.01	Tebufenpyrad	0.01	Trichloronaat	0.01
Proquinazide	0.01	Tebupirimfos	0.01	Tricyclazool	0.01
Prosulfocarb	0.01	Tebuthiuron	0.01	Trietazine	0.01
Prothiofos	0.01	Tecnazeen	0.01	Trifenmorf	0.01
Prothoaat	0.01	Teflubenzuron	0.01	Trifloxystrobin	0.02
Pyracarbolide	0.01	Tefluthrin	0.01	Triflumizool	0.01
Pyraclofos	0.01	Tepraloxymid	0.01	Trifluralin	0.01
Pyraflufen-ethyl	0.01	Terbacil	0.01	Trinexapac-ethyl	0.01
Pyrazofos	0.01	Terbufos	0.01	Vernolaat	0.01
Pyrethrinen (cinerin/jasmolin/pyrethrin)	0.1	Terbufos-sulfon	0.01	Vinclozolin	0.01
Pyribenzoxim	0.01	Terbumeton	0.01	Zoxamide	0.01
Pyridaben	0.01	Terbutylazine	0.01	Zwavel*	0.5
Pyridafenthion	0.01	Terbutryn	0.01		
Pyridalyl	0.01	Tetrachloorvinfos	0.01		

* Deze component wordt alleen op verzoek gerapporteerd

ANALYSELIJST PESTICIDEN

Groen Agro Control

Analyselijst Cacao, SPV A090, A104 & A178, LC-MSMS

Versie 2, geldig vanaf 01-02-2022

Lijst van componenten en hun rapportagegrens in mg/kg

1-naftaleenazijnzuur	0.5	Carfentrazone-ethyl	0.01	Disulfoton-sulfoxide	0.01
1-Naphthaleneacetamide	0.01	Carpropamide	0.01	Dithianon	0.01
2,4,5-T	0.01	Chloorbromuron	0.01	Diuron	0.01
2,4-D	0.01	Chloorfenvinfos ($\alpha+\beta$)	0.01	DMSA	0.01
2,4-DB	0.02	Chloorfluazuron	0.01	DMST	0.01
4-Chloorfenoxiazijnzuur	0.02	Chloorpyrifos-ethyl	0.01	Dodemorf	0.01
Abamectine/avermectine (B1a+B1b)	0.01	Chloorpyrifos-methyl	0.01	Dodine	0.01
Acefaat	0.01	Chloorthiamide	0.01	Emamectin	0.01
Acequinocyl	0.01	Chloorthiofos	0.01	EPN	0.01
Acetamiprid	0.01	Chloortoluron	0.01	Epoxiconazool	0.01
Alanycarb	0.01	Chlorantraniliprole	0.01	Etaconazool	0.01
Aldicarb	0.01	Chlordimeform	0.01	Ethiofencarb	0.01
Aldicarb-sulfon	0.01	Chloridazon	0.01	Ethiofencarb-sulfon	0.01
Aldicarb-sulfoxide	0.01	Chlorobenzuron	0.01	Ethiofencarb-sulfoxide	0.01
Ametoctradin	0.01	Chromafenozide	0.01	Ethion	0.01
Amitraz	0.01	Cinosulfuron	0.01	Ethiprole	0.01
Amitraz DMF (2,4-Dimethyl-formamide)	0.01	Clethodim	0.01	Ethirimol	0.01
Amitraz DMPF (2,4-Dimethylfenyl-1-methyl-formamide)	0.01	Climbazool	0.01	Ethofumesaat	0.01
Amitraz-DMA (2,4-Dimethylaniline)	0.01	Clodinafop	0.01	Ethoprofos	0.01
Anilazin	0.01	Clofentezine	0.01	Ethoxysulfuron	0.01
Anilofos	0.01	Clomazone	0.01	Etofenprox	0.01
Asulam	0.02	Clothianidin	0.01	Etoxazool	0.01
Atrazine	0.01	Cyantraniliprole	0.01	Famoxadone	0.01
Atrazine-desethyl	0.02	Cyazofamide	0.01	Fenamidone	0.01
Azaconazool	0.01	Cyclanilide	0.01	Fenamifos	0.01
Azadirachtin	0.01	Cycloxydim	0.01	Fenamifos-sulfon	0.01
Azamethifos	0.01	Cyenopyrafen	0.01	Fenamifos-sulfoxide	0.01
Azimsulfuron	0.01	Cyflufenamide	0.01	Fenarimol	0.01
Azinfos-methyl	0.01	Cyflumetofen	0.01	Fenazaquin	0.01
Azoxystrobine	0.01	Cymoxanil	0.01	Fenbuconazool	0.01
Benfuracarb (als carbofuran)	0.01	Cyproconazool	0.01	Fenbutatinoxide	0.01
Benomyl (als carbendazim)	0.01	Cyprodinil	0.01	Fenchloorfos-oxon	0.01
Benoxacor	0.01	Cyromazin	0.01	Fenhexamide	0.01
Bensulfuron-methyl	0.01	Cythioaat	0.01	Fenisofam	0.01
Bentazon	0.01	Demeton-S-methyl	0.01	Fenithrothion	0.01
Bentazon-8-OH	0.01	Demeton-S-methylsulfon	0.01	Fenkapton	0.01
Benthiavalicarb-isopropyl	0.01	Desmedifam	0.01	Fenmedifam	0.01
Bifenazaat	0.01	Diafenthuron	0.01	Fenothrin	0.01
Bifenazaat diazene	0.01	Diazinon	0.01	Fenoxycarb	0.01
Bispyribac	0.01	Dicamba	0.01	Fenpicoxamide	0.01
Bitertanol	0.01	Dichlofluanide	0.01	Fenpropidin	0.01
Bixafen	0.01	Dichloorprop	0.01	Fenpropimorf	0.01
Boscalid	0.01	Dichloorvos	0.01	Fenpyrazamin	0.01
Bromacil	0.01	Dichlorofen	0.02	Fenpyroximaat	0.01
Bromoxynil	0.01	Diclobutrazool	0.01	Fensulfothion	0.01
Bromuconazool	0.01	Diclofop	0.01	Fensulfothion-oxon	0.01
Bupirimaat	0.01	Dicrotofos	0.01	Fensulfothion-oxon-sulfone	0.01
Buprofezin	0.01	Diethofencarb	0.01	Fensulfothion-sulfon	0.01
Butafenacil	0.01	Difenoconazool	0.01	Fenthion	0.01
Butocarboxim	0.01	Difethialone	0.01	Fenthion-oxon	0.01
Butocarboxim-sulfon	0.01	Diflubenzuron	0.01	Fenthion-oxon-sulfone	0.01
Butocarboxim-sulfoxide	0.01	Dimethenamid-p	0.01	Fenthion-oxon-sulfoxide	0.01
Buturon	0.01	Dimethirimol	0.01	Fenthion-sulfone	0.01
Cadusafos	0.01	Dimethoaat	0.01	Fenthion-sulfoxide	0.01
Captafol	0.01	Dimethomorf	0.01	Fentin	0.01
Carbaryl	0.01	Dimoxystrobin	0.01	Flamprop-M-methyl	0.01
Carbendazim	0.01	Diniconazool	0.01	Flazasulfuron	0.01
Carbetamide	0.01	Dinocap	0.01	Flonicamid	0.01
Carbofuran	0.01	Dinotefuran	0.01	Florasulam	0.01
Carbofuran-3-OH	0.01	Dipropetryn	0.01	Fluazifop	0.01
Carbosulfan	0.01	Disulfoton	0.02	Fluazifop-p-butyl	0.01
Carboxin	0.01	Disulfoton-sulfon	0.01	Fluazinam	0.01

ANALYSELIJST PESTICIDEN

Groen Agro Control

Analyselijst Cacao, SPV A090, A104 & A178, LC-MSMS

Versie 2, geldig vanaf 01-02-2022

Lijst van componenten en hun rapportagegrens in mg/kg

Flubendiamide	0.01	Lenacil	0.01	Penoxsulam	0.01
Flubenzimine	0.01	Linuron	0.01	Picloram	0.01
Flufenacet	0.01	Malaoxon	0.01	Picoxystrobin	0.01
Flufenacet alcohol	0.01	Malathion	0.01	Pinoxaden	0.05
Flufenoxuron	0.01	Mandipropamid	0.01	Piperalin	0.01
Flumethrin	0.1	Matrine	0.01	Piperonyl-butoxide	0.01
Flumioxazin	0.01	MCPA	0.01	Pirimicarb	0.01
Fluometuron	0.01	MCPB	0.01	Pirimicarb-desmethyl*	0.01
Fluopyram	0.01	Mecoprop	0.01	Pirimifos-methyl	0.01
Fluoxastrobin	0.01	Mefenacet	0.01	Prochloraz	0.01
Flupyradifurone	0.01	Mefentrifluconazole	0.01	Prochloraz BTS44595	0.02
Fluquinconazool	0.01	Mefosfolan	0.01	Prochloraz BTS44596	0.02
Flurprimidool	0.01	Mepanipyrim	0.01	Profenofos	0.01
Flusilazool	0.01	Mepanipyrim 2-OH-propyl*	0.01	Propachlor ESA	0.01
Fluthiacet-methyl	0.03	Mepronil	0.01	Propamocarb	0.01
Flutolanil	0.01	Mesosulfuron methyl	0.01	Propaquizafop	0.01
Flutriafol	0.01	Mesotrione	0.05	Propargiet	0.01
Fluxapyroxad	0.01	Metaflumizon	0.01	Propiconazool	0.01
Foraat	0.01	Metalaxyl/metalaxyl-M	0.01	Propoxur	0.01
Foraat-sulfon	0.01	Metamifop	0.01	Propoxycarbazon	0.01
Foraat-sulfoxide	0.01	Metazachloor	0.01	Propyzamide	0.01
Forchlorfenuron	0.01	Metconazool	0.01	Proquinazide	0.01
Formetanaat	0.01	Methamidofos	0.01	Prosulfocarb	0.01
Formothion	0.01	Methidathion	0.01	Prosulfuron	0.01
Fosalon	0.01	Methiocarb	0.01	Prothiocarb	0.03
Fosfamidon	0.01	Methiocarb-sulfon	0.01	Prothioconazool-desthio	0.01
Fosmet	0.01	Methiocarb-sulfoxide	0.01	Pymetrozine	0.01
Fosmetoxon	0.01	Methomyl	0.01	Pyraclostrobin	0.01
Fosthiazaat	0.01	Methoxyfenozide	0.01	Pyridaat	0.01
Foxim	0.01	Metobromuron	0.01	Pyridaat CL 9673	0.01
Furathiocarb	0.01	Metoxuron	0.01	Pyridaben	0.01
Halofenozide	0.01	Metsulfuron-methyl	0.01	Pyridafenthion	0.01
Halosulfuron-methyl	0.01	Milbemectin (A3+A4)	0.01	Pyrifenox	0.01
Haloxyfop	0.01	Molinaat	0.01	Pyrimethanil	0.01
Heptenofos	0.01	Monocrotofos	0.01	Pyrimidifen	0.05
Hexaconazool	0.01	Monolinuron	0.01	Pyriofenone	0.01
Hexythiazox	0.01	Monuron	0.03	Pyriproxyfen	0.01
Hymexazol	0.03	Myclobutanil	0.01	Pyroxsulam	0.01
Imazalil	0.01	Naled	0.01	Quinalfos	0.01
Imazamox	0.01	Napropamide	0.01	Quinmerac	0.01
Imazapic	0.01	Naptalam	0.01	Quinoclamine	0.01
Imazapyr	0.01	Neburon	0.01	Rimsulfuron	0.01
Imazaquin	0.02	Nicosulfuron	0.02	Rotenon	0.01
Imazethapyr	0.01	Nitenpyram	0.01	Saflufenacil	0.01
Imibenconazool	0.01	Novaluron	0.01	Sedaxane	0.01
Imidacloprid	0.01	Nuarimol	0.01	Spinetoram	0.01
Indaziflam	0.05	Omethoaat	0.01	Spinosad	0.01
Indoxacarb (R+S)	0.01	Orizalin	0.01	Spirodiclofen	0.01
Iodosulfuron-methyl	0.01	Orthosulfamuron	0.01	Spiromesifen	0.01
Ioxynil	0.01	Oxadixyl	0.01	Spirotetramat	0.01
Iprobenfos	0.01	Oxamyl	0.01	Spirotetramat-enol	0.01
Iprovalicarb	0.01	Oxamyl-oxim	0.01	Spirotetramat-enol-glucoside*	0.01
Isocarbofos	0.01	Oxasulfuron	0.01	Spirotetramat-ketohydroxy*	0.01
Isoprothiolane	0.01	Oxathiapiprolin	0.01	Spirotetramat-monohydroxy*	0.01
Isoproturon	0.01	Oxycarboxin	0.01	Spiroxamine	0.01
Isopyrazam	0.01	Oxydemeton-methyl	0.01	Sulcotrione	0.01
Isouron	0.01	Pacloutrazol	0.01	Sulfamethoxazol	0.01
Isoxaben	0.01	Paraoxon	0.01	Sulfentazon	0.02
Isoxaflutool	0.01	Paraoxon-methyl	0.01	Sulfosulfuron	0.01
Isoxathion	0.01	Penconazool	0.01	Sulfoxaflor (RR+SR)	0.01
Kresoxim-methyl	0.01	Pencycuron	0.01	Tebuconazool	0.01
Landrin (2,3,5 en 3,4,5)	0.01	Penflufen	0.05	Tebufenozide	0.01

* Deze component wordt alleen op verzoek gerapporteerd

ANALYSELIJST PESTICIDEN

Groen Agro Control

Analyselijst Cacao, SPV A090, A104 & A178, LC-MSMS

Versie 2, geldig vanaf 01-02-2022

Lijst van componenten en hun rapportagegrens in mg/kg

Tebufenpyrad	0.01	Thiofanox	0.01	Trichloorfon	0.01
Teflubenzuron	0.01	Thiofanox-sulfon	0.01	Triclopyr	0.02
Tembotrione	0.01	Thiofanox-sulfoxide	0.01	Tricyclazool	0.01
TEPP	0.05	Thiometon-sulfon	0.01	Tridemorf	0.01
Terbufos	0.01	Tolclofos-methyl	0.01	Trifloxystrobin	0.01
Terbufos-sulfon	0.01	Tolfenpyrad	0.01	Triflumizool	0.01
Terbufos-sulfoxide	0.01	Tolyfluanide	0.01	Triflumizool FM-6-1	0.01
Terbuthylazine	0.01	Topramezone	0.02	Triflumuron	0.01
Tetraconazool	0.01	Tralkoxydim	0.01	Triflusulfuron methyl	0.01
Thiabendazool	0.01	Tralomethrin	0.01	Triforine	0.02
Thiabendazool-5-OH*	0.01	Triadimefon	0.01	Triticonazool	0.01
Thiacloprid	0.01	Triapenthenol	0.01	Tritosulfuron	0.01
Thiamethoxam	0.01	Triasulfuron	0.01	Uniconazool	0.01
Thidiazuron	0.01	Triazamaat	0.01	Valifenalaat	0.01
Thiencarbazone-methyl	0.01	Triazofos	0.01	Vamidothion	0.01
Thiodicarb	0.01	Triazoxide	0.01	Zoxamide	0.01
Thiofanaat-methyl	0.01	Tribenuron-methyl	0.01		

* Deze component wordt alleen op verzoek gerapporteerd

ANALYSELIJST PESTICIDEN

Groen Agro Control

Analyselijst cacao, specifieke analyses

Versie 2, geldig vanaf 01-02-2022

Lijst van componenten en hun rapportagegrens in mg/kg

Component	Q	Analyse-methode	Rapportagegrens
Totaal anorganisch bromide		IC, A039	5
Diquat, Paraquat		LC-MS/MS, A133	0.05
Dithiocarbamaten Som van: Ferbam, Mancozeb, Maneb, Metiram, Nabam, Propineb, Thiram, Zineb, Ziram		GC-MS, als CS2, A066	0.02 CS2
Ethefon		GC-FID, als etheen, A080	0.05
Ethefon		LC-MS/MS, A131	0.01
Fosethyl-aluminium		LC-MS/MS, A131	0.01
Fosforig zuur		LC-MS/MS, A131	0.05
Glyfosaat, Glufosinaat		LC-MS/MS, A131	0.01
AMPA		LC-MS/MS, A131	0.05
Zware Metalen		ICP-MS, A068 + A095	
Aluminium	Q		1.0
Arseen	Q		0.02
Barium	Q		0.05
Cadmium	Q		0.01
Chroom	Q		0.02
Cobalt	Q		0.05
Koper	Q		0.02
Kwik	Q		0.01
Lood	Q		0.01
Nikkel	Q		0.05
Tin	Q		0.01
Zilver	Q		0.01
Zink	Q		0.1