

## ANALYSIS LIST PESTICIDES

### Groen Agro Control

Analysis list Cereals, SPV A088, A104 & A178, GC-MSMS

Version 8, valid since 01-02-2022

#### List of components and their reporting limit in mg/kg

1,4-Dimethylnaphthalene	0.01	Chlorbenzilate	0.01	Diafenthuron	0.01
2,4,6-Trichlorophenol	0.01	Chlorbromuron	0.01	Dialifos	0.01
2,4D-Methylester	0.01	Chlorbufam	0.01	Diallate	0.01
2,6-Dichlorobenzamide	0.01	Chlordane	0.01	Diazinon	0.01
2-Phenylhydroquinone	0.01	Chlordecone	0.01	Dichlobenil	0.01
Acetochlor	0.01	Chlorfenapyr	0.01	Dichlofenthion	0.01
Acibenzolar-S-methyl	0.01	Chlorfenson	0.01	Dichlofluamid	0.01
Aclonifen	0.01	Chlorfenvinphos (α+β)	Q 0.01	Dichloroaniline (3,4-)	0.01
Acrinathrin	Q 0.01	Chlorfluzuron	0.01	Dichloroaniline (3,5-)	0.01
Alachlor	0.01	Chlormephos	0.01	Dichlorophen	0.01
Aldrin	0.01	Chloro-3-Methylphenol	0.01	Dichloroprop-2-ethyl-hexyl	0.01
Allethrin	0.01	Chloroaniline (3-)	0.01	Dichlorprop-methyl	0.01
Ametoctradin	0.01	Chlorobenzuron	0.01	Dichlorvos	Q 0.01
Ametryn	0.01	Chloroneb	0.01	Diclobutrazol	0.01
Aminocarb	0.01	Chloropropylate	0.01	Diclofop-methyl	0.01
Amiprofos-Methyl	0.01	Chlorothalonil	0.01	Dicloran	Q 0.01
Atrazine	0.01	Chlorothion	0.01	Dicofol	0.01
Azaconazole	0.01	Chloroxuron	0.01	Dicrotophos	0.01
Azinphos-ethyl	0.01	Chlorpropham	Q 0.01	Dieldrin	Q 0.01
Azinphos-methyl	0.02	Chlorpyrifos-ethyl	Q 0.005	Diethofencarb	0.01
Aziprotryne	0.01	Chlorpyrifos-methyl	Q 0.01	Difenoconazole	0.01
Azoxystrobin	0.01	Chlorthal-dimethyl	0.01	Difenoxuron	0.01
Barban	0.01	Chlorthiophos	0.01	Diflubenzuron	0.01
Benalaxyl	0.005	Chlorthiophos-sulfone	0.01	Diflufenican	0.01
Benazolin-ethyl	0.01	Chlozolate	0.01	Dimethachlor	0.01
Bendiocarb	0.01	Cinidon-ethyl	0.01	Dimethenamid-P	0.01
Benfluralin	0.01	Cinmethylin	0.01	Dimethipin	0.01
Benfuracarb (as carbofuran)	0.01	Climbazole	0.01	Dimethirimol	0.01
Benodanil	0.01	Clodinafop-propargyl	0.01	Dimethoate	0.01
Benzovindiflupyr	0.01	Clofentezin	0.01	Dimethomorph	0.005
Benzoylprop-ethyl	0.01	Cloquintocet-mexyl	0.01	Dimethylvinphos	0.01
Bifenazate	0.01	Coumaphos	0.01	Dimoxystrobin	0.01
Bifenox	0.01	Crimidine	0.01	Diniconazole	0.01
Bifenthrin	Q 0.01	Crufomate	0.01	Dinobuton	0.1
Biphenyl (=diphenyl)	0.01	Cyanazine	0.01	Dinoseb	0.01
Bistrifluron	0.01	Cyanofenphos	0.01	Dinoterb	0.01
Bitertanol	0.01	Cyanophos	0.01	Dioxabenzofos	0.01
Boscalid	0.01	Cycloate	0.01	Dioxacarb	0.01
Bromacil	0.01	Cyenopyrafen	0.01	Dioxathion	0.01
Bromocyclen	0.01	Cyfluthrin	Q 0.03	Diphenamid	0.01
Bromophos-ethyl	0.01	Cyhalofop-butyl	0.01	Diphenylamine	Q 0.01
Bromophos-methyl	0.01	Cymiazole	0.01	Dipropetryn	0.01
Bromopropylate	0.01	Cypermethrin	Q 0.005	Disulfoton	0.01
Bromoxynil-methyl	0.01	Cyphenothrin	0.01	Disulfoton-sulfone	0.01
Bromoxynil-octanoate	0.01	Cyproconazole	Q 0.01	Ditalimfos	0.01
Bromuconazole	0.01	Cyprodinil	0.01	DMSA	0.01
Bupirimate	0.01	Cyprofuram	0.01	DMST	0.01
Buprofezin	Q 0.01	Dazomet	0.01	DNOC	0.01
Butachlor	0.01	DDD (o,p)	0.01	Dodemorph	0.01
Butralin	0.01	DDD (p,p)	0.01	Edifenphos	0.01
Butylate	0.01	DDE (o,p)	0.01	Endosulfan-alpha	Q 0.01
Cadusafos	0.01	DDE (p,p)	Q 0.01	Endosulfan-beta	Q 0.01
Captafol	0.01	DDT (o,p)	0.01	Endosulfan-sulfate	Q 0.01
Captan	Q 0.01	DDT (p,p)	0.01	Endrin	0.01
Carbaryl	0.01	DEET	0.01	EPN	0.01
Carbofuran	0.01	Deltamethrin	Q 0.01	Epoxiconazole	Q 0.01
Carbofuran-3-OH	0.01	Demeton-O	0.01	EPTC	0.01
Carbofuran-phenol	0.01	Demeton-O-sulfoxide	0.01	Etaconazole	0.01
Carbophenothion	0.01	Demeton-S	0.01	Ethalfuralin	0.01
Carboxin	Q 0.01	Demeton-S-methyl	0.01	Ethiofencarb	0.01
Chinomethionate	0.01	Demeton-S-methylsulfone	0.01	Ethion	0.01
Chlorbenside	0.01	Desmetryn	0.01	Ethofumesate	0.01

Q: Accredited components (Dutch Accreditation Council (RvA), registration number L335)

\* This component will only be reported on request

## ANALYSIS LIST PESTICIDES

### Groen Agro Control

Analysis list Cereals, SPV A088, A104 & A178, GC-MSMS

Version 8, valid since 01-02-2022

#### List of components and their reporting limit in mg/kg

Ethofumesate, 2-Keto	0.01	Fonofos	0.01	Methoprene	0.01
Ethoprophos	0.01	Fosthiazate	0.01	Methoprotryn	0.01
Ethoxyquin	0.01	Fuberidazole	0.01	Methoxychlor	0.01
Etofenprox	0.01	Furalaxyl	0.01	Metobromuron	0.01
Etoxazole	0.01	Furathiocarb	0.01	Metolcarb	0.01
Etridiazole	0.01	Furmecyclox	0.01	Metoxuron	0.01
Etrimfos	0.01	Halfenprox	0.01	Metrafenone	0.01
Famophos (Famphur)	0.01	Haloxypop-ethoxyethyl	0.01	Metribuzin	Q 0.01
Famoxadone	0.01	Haloxypop-p-methyl	0.01	Mevinphos	0.01
Fenamiphos	0.01	HCH-alpha	0.01	Mirex	0.01
Fenarimol	Q 0.01	HCH-beta	0.01	Monalide	0.01
Fenazaquin	0.01	HCH-delta	0.01	Monocrotophos	Q 0.01
Fenbuconazole	0.01	HCH-gamma (Lindane)	Q 0.01	Monolinuron	0.01
Fenclorophos	0.01	Heptachlor	0.01	Myclobutanil	0.01
Fenhexamid	0.01	Heptachlor epoxide	0.01	Naftol-1-α	0.01
Fenitrothion	Q 0.01	Heptenophos	0.01	Naled	0.01
Fenobucarb	0.01	Hexachloro-1,3-butadiene	0.01	Napropamide	0.01
Fenoxaprop-P	0.01	Hexachlorobenzene	0.01	Nitralin	0.01
Fenoxycarb	0.01	Hexaconazole	0.01	Nitrapyrine	0.01
Fenpiclonil	0.01	Hexaflumuron	0.01	Nitrofen	0.01
Fenpropathrin	0.01	Hexazinone	0.01	Nitrothal-isopropyl	0.01
Fenpropidin	0.01	Hexythiazox	0.01	Norflurazon	0.01
Fenpropimorph	Q 0.01	Imazalil	0.1	Nuarimol	0.01
Fenson	0.01	Imazamethabenz-methyl	0.01	Ofurace	0.01
Fensulfthion	0.01	Indoxacarb (R+S)	0.01	Orbencarb	0.01
Fensulfthion-sulfone	0.01	Iodofenphos	0.01	Oxadiargyl	0.02
Fenthion	Q 0.01	Ioxynil-methyl	0.01	Oxadiazon	0.01
Fenthion-sulfoxide	0.01	Ioxynil-octanoate	0.01	Oxadixyl	0.01
Fenuron	0.01	Iprobenfos	0.01	Oxycarboxin	0.01
Fenvalerate (incl. esfenvalerate)	Q 0.01	Iprodione	Q 0.01	Oxychlorthane	0.01
Fipronil	Q 0.005	Iprvalicarb	0.01	Oxyfluorfen	0.01
Fipronil-carboxamid*	0.005	Isazofos	0.01	Paclobutrazol	Q 0.01
Fipronil-desulfinyl*	0.005	Isodrin	0.01	Paraoxon	0.01
Fipronil-sulfide*	0.005	Isofenphos	0.01	Paraoxon-methyl	0.01
Fipronil-sulfone	0.005	Isofenphos-methyl	0.01	Parathion-ethyl	Q 0.01
Flamprop-M-isopropyl	0.01	Isofenphos-oxon	0.01	Parathion-methyl	0.01
Flamprop-M-methyl	0.01	Isoprocarb	0.01	Pebulate	0.01
Flonicamid	0.01	Isoprothiolane	0.01	Penconazole	Q 0.01
Fluazifop-p-butyl	0.01	Isoproturon	0.01	Pencycuron	0.01
Fluazinam	0.01	Isoxadifen-ethyl	0.01	Pendimethalin	Q 0.01
Flubendiamide	0.01	Karanjin*	0.01	Pentachloraniline	0.01
Fluchloralin	0.01	Kresoxim-methyl	0.01	Pentachloranisole	0.01
Flucycloxuron	0.01	Lambda-cyhalothrin	Q 0.01	Pentachlorobenzene	0.01
Flucythrinate	0.01	Lenacil	0.01	Pentachlorophenol	0.01
Fludioxonil	Q 0.01	Leptophos	0.01	Penthiopyrad	0.01
Flufenacet	0.01	Lufenuron	0.01	Permethrin	Q 0.01
Flufenoxuron	0.01	Malaoxon	0.01	Perthane	0.01
Flufenzin	0.02	Malathion	0.005	Phenmedipham	0.01
Flumethrin	0.01	Mecarbam	0.01	Phenothrin	0.01
Flumioxazine	0.01	Mefenpyr-diethyl	0.01	Phenthoate	0.005
Fluometuron	0.01	Mepanipyrim	0.01	Phenylphenol-2	0.01
Fluopicolide	0.005	Mephosfolan	0.01	Phorate	0.01
Fluotrimazole	0.01	Mepronil	0.01	Phorate-sulfone	0.01
Fluquinconazole	Q 0.01	Metalaxyl/metalaxyl-M	0.005	Phorate-sulfoxide	0.01
Flurenol-butyl	0.01	Metamitron	0.01	Phosalone	0.01
Flurochloridone	0.01	Metazachlor	0.01	Phosmet	Q 0.01
Fluroxypyr-1-methyl	0.01	Metconazole	0.01	Phosphamidon	0.01
Flusilazole	0.01	Methabenzthiazuron	0.01	Phthalimide (degr. folpet)	0.01
Flutolanil	0.01	Methacrifos	0.01	Picolinafen	0.01
Flutriafol	0.01	Methidathion	0.01	Picoxystrobin	0.01
Fluvalinate (tau-)	0.01	Methiocarb	0.01	Piperonyl butoxide	0.01
Folpet	0.01	Metholachlor-S	0.01	Pirimicarb	0.01

Q: Accredited components (Dutch Accreditation Council (RvA), registration number L335)

\* This component will only be reported on request

## ANALYSIS LIST PESTICIDES

### Groen Agro Control

Analysis list Cereals, SPV A088, A104 & A178, GC-MSMS

Version 8, valid since 01-02-2022

#### List of components and their reporting limit in mg/kg

Pirimicarb-desmethyl*	0.01	Pyrifenox	0.01	Tetrachlorvinphos	0.01
Pirimiphos-ethyl	0.01	Pyrimethanil	Q 0.01	Tetraconazole	0.01
Pirimiphos-methyl	Q 0.005	Pyriproxyfen	0.01	Tetradifon	Q 0.01
Prochloraz	0.1	Pyroquilone	0.01	Tetrahydrophthalimide (degr. captan)	0.01
Procymidone	Q 0.01	Quinalphos	0.01	Tetramethrin	0.02
Profenofos	0.01	Quinoxifen	Q 0.01	Tetrasul	0.01
Profluralin	0.01	Quintozene	0.01	Thiabendazole	0.1
Profoxydim-lithium	0.01	Quizalofop-ethyl	0.01	Thiobencarb	0.01
Promecarb	0.01	Resmethrin	0.01	Thiocyclam	0.01
Prometryn	0.01	S 421	0.01	Thiometon	0.01
Propachlor	0.01	Sethoxydim	0.01	Thiometon-sulfone	0.01
Propachlor-2-OH	0.01	Silafluofen	0.01	Tolclofos-methyl	Q 0.01
Propanil	0.01	Silthiofam	0.01	Tolfenpyrad	0.01
Propaphos	0.01	Simazine	0.01	Tolyfluanid	0.01
Propargite	0.01	Spiroclufen	0.01	Transfluthrin	0.01
Propazine	0.01	Spiromesifen	0.01	Triadimefon	Q 0.01
Propetamphos	0.01	Spiroxamine	0.01	Triadimenol	0.01
Propham	0.01	Sulfotep	0.01	Triallat	0.01
Propiconazole	0.01	Sulphur*	0.5	Triamiphos	0.01
Propoxur	0.01	Sulprofos	0.01	Triazamate	0.01
Propyzamide	0.01	Tebuconazole	Q 0.01	Triazophos	0.01
Proquinazid	0.01	Tebuconazole	0.01	Trichloronate	0.01
Prosulfocarb	0.01	Tebupirimfos	0.01	Tricyclazole	0.01
Prothiofos	0.01	Tebuthiuron	0.01	Trietazine	0.01
Prothoate	0.01	Tecnazene	0.01	Trifenmorph	0.01
Pyracarbolid	0.01	Teflubenzuron	0.01	Trifloxystrobin	0.01
Pyraclifos	0.01	Tefluthrin	0.01	Triflumizole	0.01
Pyraflufen-ethyl	0.01	Tepraloxymid	0.01	Trifluralin	Q 0.01
Pyrazophos	0.01	Terbacil	0.01	Trinexapac-ethyl	0.01
Pyrethrins (cinerin/jasmolin/pyrethrin)	0.1	Terbufos	0.01	Vernolate	0.01
Pyribenzoxim	0.01	Terbufos-sulfon	0.01	Vinclozolin	Q 0.01
Pyridaben	0.01	Terbumeton	0.01	Zoxamide	0.01
Pyridalyl	0.01	Terbutylazine	0.01		
Pyridaphenthion	0.01	Terbutryn	0.01		

Q: Accredited components (Dutch Accreditation Council (RvA), registration number L335)

\* This component will only be reported on request

## ANALYSIS LIST PESTICIDES

### Groen Agro Control

Analysis list Cereals, SPV A090, A104 & A178, LC-MSMS

Version 8, valid since 01-02-2022

#### List of components and their reporting limit in mg/kg

1-Naphthalene Acetamide	0.01	Carfentrazone-ethyl	0.01	Disulfoton-sulfoxide	0.01
1-naphthaleneaceticacid	0.5	Carpropamid	0.01	Dithianon	0.01
2,4,5-T	0.01	Chlorantraniliprole	0.01	Diuron	Q 0.01
2,4-D	0.01	Chlorbromuron	0.01	DMSA	0.01
2,4-DB	0.02	Chlordimeform	0.01	DMST	0.01
4-Chlorophenoxyacetic acid	0.02	Chlorfenvinphos (α+β)	0.03	Dodemorph	0.01
Abamectin/avermectin (B1a+B1b)	0.01	Chlorfluazuron	0.01	Dodine	0.01
Acephate	Q 0.01	Chloridazon	0.01	Emamectin	0.01
Acequinocyl	0.01	Chlorobenzuron	0.01	EPN	0.01
Acetamiprid	Q 0.005	Chlorotoluron	0.01	Epoxiconazole	Q 0.01
Alanycarb	0.01	Chlorpyrifos-ethyl	Q 0.005	Etaconazole	0.01
Aldicarb	0.01	Chlorpyrifos-methyl	Q 0.02	Ethiofencarb	0.01
Aldicarb-sulfone	0.01	Chlorthiamid	0.01	Ethiofencarb-sulfone	0.01
Aldicarb-sulfoxide	0.01	Chlorthiophos	0.01	Ethiofencarb-sulfoxide	0.01
Ametoctradin	0.01	Chromafenozide	0.01	Ethion	Q 0.01
Amitraz	0.01	Cinosulfuron	0.01	Ethiprole	0.01
Amitraz DMF (2,4-Dimethyl-formamide)	0.01	Clethodim	0.01	Ethirimol	0.01
Amitraz DMPF (2,4-Dimethylphenyl-1-methyl-formamide)	0.01	Climbazole	0.01	Ethofumesate	0.01
Amitraz-DMA (2,4-Dimethylaniline)	0.01	Clodinafop	0.01	Ethoprophos	0.01
Anilazine	0.01	Clofentezin	0.01	Ethoxysulfuron	0.01
Anilofos	0.01	Clomazone	0.01	Etofenprox	Q 0.02
Asulam	0.01	Clothianidin	Q 0.01	Etoxazole	0.01
Atrazine	Q 0.01	Cyantraniliprole	0.01	Famoxadone	0.01
Atrazine-desethyl	0.01	Cyazofamid	0.01	Fenamidone	0.01
Azaconazole	0.01	Cyclanilide	0.01	Fenamiphos	0.01
Azadirachtin	0.01	Cycloxydim	0.01	Fenamiphos-sulfone	0.01
Azamethiphos	0.01	Cyenopyrafen	0.01	Fenamiphos-sulfoxide	0.01
Azimsulfuron	0.01	Cyflufenamid	0.01	Fenarimol	0.02
Azinphos-methyl	Q 0.03	Cyflumetofen	0.01	Fenazaquin	0.01
Azoxystrobin	Q 0.01	Cymoxanil	0.01	Fenbuconazole	Q 0.02
Benfuracarb (as carbofuran)	Q 0.005	Cyproconazole	0.02	Fenbutatinoxide	0.01
Benomyl (as carbendazim)	0.01	Cyprodinil	Q 0.03	Fenchlorphos oxon	0.01
Benoxacor	0.01	Cyromazine	0.01	Fenhexamid	Q 0.02
Bensulfuron-methyl	0.01	Cythioate	0.01	Fenitrothion	0.03
Bentazon	0.01	Demeton-S-methyl	0.01	Fenoxycarb	0.01
Bentazon-8-OH	0.01	Demeton-S-methylsulfone	0.01	Fenpicoxamide	0.01
Benthiavalicarb-isopropyl	0.01	Desmedipham	0.01	Fenpropidin	0.01
Bifenazate	0.01	Diafenthion	0.01	Fenpropimorph	Q 0.01
Bifenazate diazene	0.01	Diazinon	Q 0.01	Fenpyrazamine	0.01
Bispyribac	0.01	Dicamba	0.01	Fenpyroximate	0.01
Bitertanol	0.01	Dichlofluanid	0.01	Fensulfothion	0.01
Bixafen	0.01	Dichlorophen	0.02	Fensulfothion-oxon	0.01
Boscalid	Q 0.01	Dichlorprop	0.01	Fensulfothion-oxon-sulfone	0.01
Bromacil	0.01	Dichlorvos	0.01	Fensulfothion-sulfone	0.01
Bromoxynil	0.01	Diclobutrazol	0.01	Fenthion	0.02
Bromuconazole	0.01	Diclofop	0.01	Fenthion-oxon	0.01
Bupirimate	0.01	Dicrotophos	0.01	Fenthion-oxon sulfoxide	0.01
Buprofezin	Q 0.01	Diethofencarb	0.01	Fenthion-oxon-sulfone	0.01
Butafenacil	0.01	Difenoconazole	Q 0.02	Fenthion-sulfone	Q 0.01
Butocarboxim	0.01	Difethialone	0.01	Fenthion-sulfoxide	Q 0.01
Butocarboxim-sulfone	0.01	Diflubenzuron	Q 0.01	Fentin	0.01
Butocarboxim-sulfoxide	0.01	Dimethenamid-P	0.01	Flamprop-M-methyl	0.01
Buturon	0.01	Dimethirimol	0.01	Flazasulfuron	0.01
Cadusafos	0.01	Dimethoate	Q 0.01	Flonicamid	0.01
Captafol	0.01	Dimethomorph	0.005	Florasulam	0.01
Carbaryl	Q 0.04	Dimoxystrobin	0.01	Fluazifop	0.01
Carbendazim	Q 0.005	Diniconazole	0.01	Fluazifop-p-butyl	0.01
Carbetamide	0.01	Dinocap	0.01	Fluazinam	0.01
Carbofuran	Q 0.005	Dinotefuran	0.01	Flubendiamide	0.01
Carbofuran-3-OH	Q 0.005	Dipropetryn	0.01	Flubenzimine	0.01
Carbosulfan	0.01	Disulfoton	0.01	Flufenacet	0.01
Carboxin	0.01	Disulfoton-sulfone	0.01	Flufenacet alcohol	0.01

Q: Accredited components (Dutch Accreditation Council (RvA), registration number L335)

\* This component will only be reported on request

## ANALYSIS LIST PESTICIDES

### Groen Agro Control

Analysis list Cereals, SPV A090, A104 & A178, LC-MSMS

Version 8, valid since 01-02-2022

#### List of components and their reporting limit in mg/kg

Flufenoxuron	0.01	Mepanipyrim	0.01	Phosphamidon	Q	0.01	
Flumethrin	0.1	Mepanipyrim 2-OH-propyl*	0.01	Picloram		0.01	
Flumioxazine	0.01	Mephosfolan	0.01	Picoxystrobin		0.01	
Fluometuron	0.01	Mepronil	Q	0.01	Pinoxaden	0.05	
Fluopyram	0.01	Mesosulfuron methyl	0.01	Piperalin		0.01	
Fluoxastrobin	0.01	Mesotrione	0.05	Piperonyl butoxide		0.01	
Flupyradifurone	0.01	Metaflumizone	0.01	Pirimicarb	Q	0.01	
Fluquinconazole	0.05	Metalaxyl/metalaxyl-M	0.005	Pirimicarb-desmethyl*	Q	0.01	
Flurprimidol	0.01	Metamifop	0.01	Pirimiphos-methyl	Q	0.005	
Flusilazole	Q	0.02	Metazachlor	0.01	Prochloraz	Q	0.02
Fluthiacet-methyl	0.01	Metconazole	Q	0.01	Prochloraz BTS44595		0.01
Flutolanil	0.01	Methamidophos	Q	0.005	Prochloraz BTS44596		0.01
Flutriafol	Q	0.01	Methidathion	0.01	Profenofos		0.01
Fluxapyroxad	0.01	Methiocarb	0.01	Propachlor ESA		0.01	
Forchlorfenuron	0.01	Methiocarb-sulfone	0.01	Propamocarb		0.005	
Formetanate	0.01	Methiocarb-sulfoxide	0.01	Propaquizafop		0.01	
Formothion	0.01	Methomyl	0.005	Propargite		0.01	
Fosthiazate	0.01	Methoxyfenozide	0.01	Propiconazole	Q	0.01	
Foxim	0.01	Metobromuron	0.01	Propoxur	Q	0.01	
Furathiocarb	0.005	Metoxuron	0.01	Propoxycarbazone		0.01	
Halofenozide	0.01	Metsulfuron-methyl	0.01	Propyzamide		0.01	
Halosulfuron-methyl	0.01	Milbemectin (A3+A4)	0.01	Proquinazid		0.01	
Haloxypop	0.01	Molinate	0.01	Prosulfocarb		0.01	
Heptenophos	0.01	Monocrotophos	Q	0.01	Prosulfuron		0.01
Hexaconazole	Q	0.01	Monolinuron	0.01	Prothiocarb		0.01
Hexythiazox	0.01	Monuron	0.01	Prothioconazole-desthio		0.01	
Hymexazol	0.01	Myclobutanil	Q	0.02	Pydiflumetofen		0.01
Imazalil	0.01	Naled	0.01	Pymetrozine		0.01	
Imazamox	0.01	Napropamide	Q	0.02	Pyraclostrobin	Q	0.01
Imazapic	0.01	Naptalam	0.01	Pyridaben		0.01	
Imazapyr	0.01	Neburon	0.01	Pyridaphenthion		0.01	
Imazaquin	0.01	Nicosulfuron	0.01	Pyridate		0.01	
Imazethapyr	0.01	Nitenpyram	0.01	Pyridate CL 9673		0.01	
Imibenconazole	0.01	Novaluron	0.01	Pyrifenox		0.01	
Imidacloprid	Q	0.005	Nuarimol	0.01	Pyrimethanil	Q	0.01
Indaziflam	0.05	Omethoate	0.01	Pyrimidifen		0.05	
Indoxacarb (R+S)	0.01	Orthosulfamuron	0.01	Pyriofenone		0.01	
Iodosulfuron-methyl	0.01	Oryzalin	0.01	Pyriproxyfen		0.01	
Ioxynil	0.01	Oxadixyl	0.01	Pyroxsulam		0.01	
Iprobenfos	0.01	Oxamyl	0.01	Quinalphos	Q	0.02	
Iprovalicarb	0.01	Oxamyl-oxime	0.01	Quinlorac		0.01	
Isocarbophos	0.01	Oxasulfuron	0.01	Quinmerac		0.01	
Isoprothiolane	Q	0.02	Oxathiapiprolin	0.01	Quinoclamine		0.01
Isoproturon	Q	0.01	Oxycarboxin	0.01	Rimsulfuron		0.01
Isopyrazam	0.01	Oxydemeton-methyl	0.01	Rotenone		0.01	
Isouron	0.01	Paclobutrazol	Q	0.02	Saflufenacil		0.01
Isoxaben	0.01	Paraoxon	0.01	Sedaxane		0.01	
Isoxaflutole	0.01	Paraoxon-methyl	0.01	Spinetoram		0.01	
Isoxathion	0.01	Penconazole	Q	0.01	Spinosad		0.01
Kresoxim-methyl	Q	0.02	Pencycuron	0.01	Spirodiclofen		0.01
Landrin (2,3,5- and 3,4,5)	0.01	Penflufen	0.05	Spiromesifen		0.01	
Lenacil	0.01	Penoxsulam	0.01	Spirotetramat		0.01	
Linuron	Q	0.01	Phenisopham	0.01	Spirotetramat-enol		0.01
Malaoxon	0.01	Phenkapton	0.01	Spirotetramat-enol-glucoside*		0.01	
Malathion	Q	0.005	Phenmedipham	0.01	Spirotetramat-ketohydroxy*		0.01
Mandipropamid	0.01	Phenothrin	0.01	Spirotetramat-monohydroxy*		0.01	
Matrin	0.01	Phorate	0.01	Spiroxamine	Q	0.01	
MCPA	0.01	Phorate-sulfone	0.01	Sulcotrione		0.01	
MCPB	0.01	Phorate-sulfoxide	0.01	Sulfamethoxazole		0.01	
Mecoprop	0.01	Phosalone	0.01	Sulfentrazone		0.02	
Mefenacet	0.01	Phosmet	0.01	Sulfosulfuron		0.01	
Mefentrifluconazole	0.01	Phosmet oxon	0.01	Sulfoxaflor (RR+SR)		0.01	

Q: Accredited components (Dutch Accreditation Council (RvA), registration number L335)

\* This component will only be reported on request

## ANALYSIS LIST PESTICIDES

### Groen Agro Control

Analysis list Cereals, SPV A090, A104 & A178, LC-MSMS

Version 8, valid since 01-02-2022

#### List of components and their reporting limit in mg/kg

Tebuconazole	Q	0.01	Thiodicarb	0.01	Tribenuron-methyl	0.01	
Tebufenozide	Q	0.02	Thiofanox	0.01	Trichlorfon	0.01	
Tebufenpyrad	Q	0.01	Thiofanox-sulfone	0.01	Triclopyr	0.02	
Teflubenzuron		0.01	Thiofanox-sulfoxide	0.01	Tricyclazole	Q 0.02	
Tembotrione		0.01	Thiometon-sulfone	0.01	Tridemorph	0.01	
TEPP		0.05	Thiophanate-methyl	0.01	Trifloxystrobin	Q 0.01	
Terbufos		0.01	Tolclofos-methyl	Q	0.02	Triflumizole	0.01
Terbufos-sulfon		0.01	Tolyfluanid	0.01	Triflumizole FM-6-1	0.01	
Terbufos-sulfoxide		0.01	Topramezone	0.01	Triflumuron	0.01	
Terbutylazine		0.01	Tralkoxydim	0.01	Triflurosulfuron-methyl	0.01	
Tetraconazole	Q	0.02	Tralomethrin	0.01	Triforine	0.01	
Thiabendazole	Q	0.01	Triadimefon	Q	0.02	Triticonazole	Q 0.02
Thiabendazole-5-OH*		0.01	Triapenthenol	0.01	Tritosulfuron	0.01	
Thiacloprid	Q	0.01	Triasulfuron	0.01	Uniconazole	0.01	
Thiamethoxam	Q	0.01	Triazamate	0.01	Valifenalate	0.01	
Thidiazuron		0.01	Triazophos	Q	0.01	Vamidothion	0.01
Thiencarbazone-methyl		0.01	Triazoxide	0.01	Zoxamide	0.01	

Q: Accredited components (Dutch Accreditation Council (RvA), registration number L335)

\* This component will only be reported on request

# ANALYSIS LIST PESTICIDES

## Groen Agro Control

Analysis list cereals, specific analysis

Version 8, valid since 01-02-2022

List of components and their reporting limit in mg/kg

Component	Q	Analysis method	Reporting limit
<b>Amitrole</b>		LC-MS/MS, A135	0.05
<b>6-Benzyladenine</b>		LC-MS/MS, A138	0.01
<b>Total inorganic bromide</b>		IC, A039	5
<b>Chloormequat, Mepiquat</b>		LC-MS/MS, A100	0.005
<b>Diquat, Paraquat</b>		LC-MS/MS, A133	0.03
<b>Dithiocarbamates</b> Sum of: Ferbam, Mancozeb, Maneb, Metiram, Nabam, Propineb, Thiram, Zineb, Ziram		GC-MS, as CS2, A066	0.01 CS2
<b>Ethephon</b>		GC-FID, as ethylene, A080	0.05
<b>Ethephon</b>	Q	LC-MS/MS, A131	0.01
<b>Ethylene oxide</b>		GC-MSMS, A088 + A	0.01
<b>Fosethyl-aluminium Phosphonic acid</b>	Q	LC-MS/MS, A131	0.01 0.05
<b>Gibrilic acid</b>		LC-MS/MS	0.01
<b>Glyfosate, Glufosinate AMPA</b>	Q	LC-MS/MS, A131	0.01 0.05
<b>Perchlorate, Chlorate</b>		LC-MS/MS, A131	0.01
<b>Quarternair ammonium compounds</b> Didecyldimethylammoniumchloride (DDAC; C10) Didecyldimethylammoniumchloride (DDAC; C8, C12) Benzalkonium chloride (BAC; C10, C12, C14, C16, C18) Benzalkonium chloride (BAC; C8) Cetrimonium		LC-MS/MS, A103	0.01
<b>Sulfiet</b>		Williams methode, A163	5.0
<b>Thiourea (metabolites of dithiocarbamates)</b> Ethylene thiourea (ETU), Propylene thiourea (PTU)		LC-MS/MS, A137	0.01
<b>Heavy Metals</b> Aluminium Arsenic Barium Cadmium Chromium Cobalt Copper Mercury Lead Nickel Tin Silver Zinc	Q Q Q Q Q Q Q Q Q Q Q Q Q Q	ICP-MS, A068 + A095	1.0 0.02 0.05 0.01 0.02 0.05 0.02 0.01 0.01 0.05 0.01 0.01 0.1
<b>Mycotoxins</b> Aflatoxin B1, B2, G1, G2 Ochratoxin A Zearalenone, T-2 Toxin, HT-2 Toxin Deoxynivalenol, Fumonisin B1, B2, Nivalenol	Q Q Q Q	LC-MS/MS, A144	0.5 µg/kg 0.5 µg/kg 20 µg/kg 200 µg/kg